



CENTERLINE™ COMPACT UNDERCOUNTER

Simply designed.
To be the best. **For you.**



centerline
by **Traulsen**

Introducing the

CENTERLINE™ COMPACT UNDERCOUNTER

Simply designed. To be the best. For you.

Food is at the core of your business which is why you cannot gamble with food safety. Your kitchen deserves durable and reliable refrigeration equipment that will support the success of your business, not risk it. Centerline™ by Traulsen was designed to help meet these demands, all at an affordable price.

You create masterpieces, Centerline™ keeps them fresh and safe.

Centerline™'s compact undercounters offer reliable refrigeration in a durable cabinet. Available in a variety of sizes to suit your needs, these undercounters maintain consistent temperatures to preserve the flavor and texture of your meals.



Electronic control
with easy to read LED display



Versatility
Variety of sizes: 27", 36", 48", 60", or 72",
all with zero clearance



4" Casters
with locks on front casters



Durable construction
Stainless steel exterior with corrosion
resistant anodized aluminum interior



Functional handles
Full length, recessed profile provides
easy grip



Doors
Stay open/self-closing for ease of loading
and unloading



Model Shown CLUC-27R
Solid Door, Glass Door
or Drawers



Ownership Benefits:



Simple to Operate
& Maintain



Quality &
Performance



Operator
Assurance

**3-Year Parts &
Labor Warranty**

Additional 2 Years on Compressor Parts

CONFIGURATIONS FOR

COMPACT UNDERCOUNTERS



CLUC-SD



CLUC-GD



CLUC-DW

	Solid Doors	Glass Doors	Drawers
Refrigerator Length Options (in)	27, 36, 48, 60, 72	27, 36, 48, 60, 72	27, 48, 60, 72
Refrigerator Worktop Option	✓	✓	✓
Freezer Length Options (in)	27, 36, 48, 60, 72	--	27, 48, 60
Freezer Worktop Option	✓	--	✓



Simply designed. To be the best. **For you.**



TR36224 (05/20) ©2020 ITW. All rights reserved.
Centerline by Traulsen is a trademark of ITW Food Equipment Group.

www.centerlinefoodequipment.com
(888)686-1425
4401 Blue Mound Road
Fort Worth, TX 76106